

REF NO.	ITEM SPEC.	DESCRIPTION	UNIT	QUAN	UNIT COST	TOTAL
PAVEMENT ITEMS (WHITE-TOPPED AREA)						
1	202	PAVEMENT REMOVED (5" CONCRETE WHITE-TOPPING)	SY	14300		
2	202	PAVEMENT REMOVED (8" CONCRETE FULL-DEPTH)	SY	460		
3	203	EXCAVATION	CY	500		
4	254	PAVEMENT PLANING (2" ASPHALT)	sy			
5	301	ASPHALT CONCRETE BASE, PG 64-22 (2" THICKNESS, WHITE-TOPPING AREA)	CY	1650		
6	301	ASPHALT CONCRETE BASE, PG 64-22 (8" THICKNESS, FULL-DEPTH CONCRETE AREA)	CY	105		
7	442	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE B. 12.5 mm, PG70-22, 448	CY	550		
8	442	ASPHALT CONCRETE SURFACE COURSE, TYPE B. 12.5 mm, PG70-22, 448	CY	910		
9	611	STORM MANHOLE ADJUSTED TO GRADE (RING)	EA	1		
10	611	STORM MANHOLE ADJUSTED TO GRADE (BRICK & MORTAR)	EA	1		
11	611	WATER VALVE CHAMBER ADJUSTED TO GRADE (RING)	EA	1		
12	611	WATER VALVE CHAMBER ADJUSTED TO GRADE (BRICK & MORTAR)	EA	1		
13	611	MONUMENT BOX ADJUSTED TO GRADE	EA	1		
14	614	MAINTAINING TRAFFIC	LS	1		
15	644	CENTERLINE (6" DOUBLE, SOLID, YELLOW)	F	4165		
16	644	STOP LINE, 24" WHITE	F	240		
17	644	CROSSWALK LINE, 12"	F	355		
18	644	EDGE LINE, 4" WHITE	F	3560		
19	644	CHANNELIZING LINE, 8'	F	510		
20	644	LANE LINE	F	4910		
21	1125	VALVE BOX RESET	EA	1		
22	SPL	REMOVE RAISED PAVEMENT MARKERS, AS DIRECTED BY ENGINEER	EA	80		
23	SPL	FULL DEPTH REPAIR (ASPHALT)	SY	4290		
24	SPL	CONCRETE CURB REPAIR, AS DIRECTED BY ENGINEER	F	400		
25	SPL	DETECTOR LOOP	EA	10		

REF NO.	ITEM SPEC	DESCRIPTION	UNIT	QUAN	UNIT COST	TOTAL
PAVEMENT ITEMS (WHITE-TOPPED AREA)						
CONTINUED..						
26	SPL	REHABILITATE EXISTING CATCH BASIN/INLET, COMPLETE	EA	10		
27	SPL	RECONSTRUCT EXISTING CATCH BASIN/INLET, COMPLETE	EA	2		
28	SPL	ASPHALT REJUVENATOR, "RECLAMITE" OR APPROVED EQUAL	SY	14760		
SUBTOTAL FOR PAVEMENT ITEMS (WHITE-TOPPED AREA)						\$ _____
PAVEMENT ITEMS (ASPHALT AREA)						
29	254	PAVEMENT PLANING (2" ASPHALT)	SY	21520		
30	442	ASPHALT CONCRETE SURFACE COURSE, TYPE B. 12.5 mm, PG70-22, 448	CY	1200		
31	614	MAINTAINING TRAFFIC	LS	1		
32	644	CENTERLINE (6" DOUBLE, SOLID, YELLOW)	F	3110		
33	644	STOP LINE, 24" WHITE	F	150		
34	644	CROSSWALK LINE, 12"	F	370		
35	644	EDGE LINE, 4" WHITE	F	6165		
36	644	CHANNELIZING LINE, 8'	F	2315		
37	644	LANE LINE	F	5535		
38	644	LANE ARROW	EA	50		
39	644	TRANSVERSE/DIAGONAL LINE	F	1200		
40	SPL	REMOVE RAISED PAVEMENT MARKERS, AS DIRECTED BY ENGINEER	EA	80		
41	SPL	FULL DEPTH REPAIR (ASPHALT)	SY	2100		
42	SPL	DETECTOR LOOP	EA	40		
43	SPL	ASPHALT REJUVENATOR, "RECLAMITE" OR APPROVED EQUAL	SY	21250		
SUBTOTAL FOR PAVEMENT ITEMS (ASPHALT AREA)						\$ _____
STORM SEWER REPLACEMENT						
44	201	CLEARING & GRUBBING, INC. TREE REMOVAL	LS	1		
45	202	CONCRETE MEDIAN REMOVAL	SY	20		
46	202	CATCH BASIN OR INLET REMOVED	EA	1		
47	202	CATCH BASIN ABANDONED, AS PER PLAN	EA	3		
48	202	PIPE REMOVED	F	12		
49	301	ASPHALT CONCRETE BASE, PG 64-22 (8")	CY	90		

