

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1732

BOWLES DRIVE APPROXIMATELY 0.25 MI. W. OF WEST RD. OPPOSITE THE FIRST PARK ROAD TO THE S. MARK IS 21.6' N. OF THE CL OF BOWLES DRIVE AND 16.4' E. OF A WOOD DIRECTION POST.

Coordinate: N 459,697.840 ft. To Azimuth: 1733 Condition: MISSING
 E 1,329,613.388 ft. Azimuth: 162 ° 33 ' 52 " Recovery Date: 2000
 Elevation: 740.93 ft. Azimuth: 386.4 ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 25 53.28 Scale Factor: 0.99993906

1733

E. SIDE OF PARK ROAD APPROXIMATELY 387' S. OF BOWLES DRIVE (FIRST INTERSECTION W. OF WEST ROAD). MARK IS 28.6' E. OF THE CL OF PARK ROAD AND 11' SW OF A 2' TREE.

Coordinate: N 459,329.193 ft. To Azimuth: 1732 Condition: MISSING
 E 1,329,729.174 ft. Azimuth: 342 ° 33 ' 52 " Recovery Date: 2000
 Elevation: 734.49 ft. Azimuth: 386.4 ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 25 52.27 Scale Factor: 0.9999391

1766

U.S. 50 APPROXIMATELY 0.2 MI. E. OF KILBY RD. MARK IS 36.5' S. OF THE CL OF U.S. 50, 18.4' SW OF AN INLET, 86' NW OF POLE #967 AND 173' E. OF THE CL OF A DRIVEWAY.

Coordinate: N 434,268.082 ft. To Azimuth: 1767 Condition: MISSING
 E 1,323,931.951 ft. Azimuth: 258 ° 48 ' 22 " Recovery Date: 2000
 Elevation: 501.5 ft. Azimuth: 940.76 ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 26 33.92 Scale Factor: 0.99994287

1767

U.S. 50 OPPOSITE KILBY RD. MARK IS 35.7' S. OF THE CL OF U.S. 50, 39.2' NE OF POLE #616 AND 64.5' SE OF AN INLET. SAME AS 8027

Coordinate: N 434,084.693 ft. To Azimuth: 1766 Condition: FOUND
 E 1,323,009.263 ft. Azimuth: 078 ° 48 ' 22 " Recovery Date: 2000
 Elevation: 495.93 ft. Azimuth: 940.76 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 26 41.32 Scale Factor: 0.9999429

1769

KILBY ROAD 0.15 MI. N. OF SUSPENSION BRIDGE RD. MARK IS 16' E. OF THE CL OF KILBY RD., 24.5' SE OF POLE #660 AND 85' N. OF POLE #H65147. NO AZIMUTH POINT OR BEARING RECORDED.

Coordinate: N 439,964.448 ft. To Azimuth: Condition: MISSING
 E 1,322,913.077 ft. Azimuth: 000 ° 00 ' 00 " Recovery Date: 2000
 Elevation: 492.44 ft. Azimuth: ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 26 43.28 Scale Factor: 0.99994189

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1770

KILBY RD. APPROXIMATELY 1.3 MI. N. OF DRY FORK RD. MARK IS 20.7' E. OF THE CL OF KILBY RD., 5.4' W. OF A FENCE AND 8.7' SW OF POLE #731.

Coordinate: N	450,654.852 ft.	To Azimuth: 1771	Condition: FOUND
E	1,321,861.494 ft.	Azimuth: 353 ° 13 ' 03 "	Recovery Date: 2000
Elevation:	525.7 ft.	Azimuth: 647.41 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 26 53.91	Scale Factor: 0.99994026	

1771

KILBY RD. APPROXIMATELY 1.4 MI. N. OF DRY FORK RD. MARK IS 16' E. OF THE CL OF KILBY RD., 2.7' W. OF POLE #735 AND 59.3' N. OF THE CL OF A CONCRETE WALK TO A 2 STORY BRICK HOUSE.

Coordinate: N	451,297.755 ft.	To Azimuth: 1770	Condition: FOUND
E	1,321,787.572 ft.	Azimuth: 173 ° 13 ' 03 "	Recovery Date: 2000
Elevation:	527.77 ft.	Azimuth: 647.41 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 26 54.66	Scale Factor: 0.99994017	

1777

HARRISON RD. APPROXIMATELY 0.7 MI. E. OF STRIMPLE RD. MARK IS 20.2' S. OF THE CL OF HARRISON RD., 6.3' NW OF POLE #H58228 AND 3' W. OF THE PRODUCED W. LINE OF A 2 STORY SHINGLE HOUSE.

Coordinate: N	453,216.389 ft.	To Azimuth: 1778	Condition: FOUND
E	1,337,977.603 ft.	Azimuth: 334 ° 12 ' 10 "	Recovery Date: 2000
Elevation:	784.93 ft.	Azimuth: 897.04 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 24 44.55	Scale Factor: 0.99993985	

1779

HARRISON RD. APPROXIMATELY 669' NW OF MORGAN RD. MARK IS 24.2' NE OF THE CL OF HARRISON RD., 25.7' W. OF A FENCE CORNER AND 30.0' SE OF POLE #124H 377E.

Coordinate: N	456,090.497 ft.	To Azimuth: M-141	Condition: FOUND
E	1,330,702.992 ft.	Azimuth: 140 ° 26 ' 27 "	Recovery Date: 2000
Elevation:	631.75 ft.	Azimuth: 630.01 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 43.76	Scale Factor: 0.9999395	

1788

BROOKS RD. APPROXIMATELY 1.3 MI. S. OF LAWRENCEBURG RD. MARK IS 22' E. OF THE CL OF BROOKS RD. ALONG THE PRODUCED S. LINE OF A 1-STORY FRAME HOUSE, 21.5' SE OF A MAILBOX (J. LOECHEL), 23.8' NE OF A POLE AND 3' W. OF A FENCE LINE.

Coordinate: N	451,995.625 ft.	To Azimuth: 1787	Condition: FOUND
E	1,314,441.945 ft.	Azimuth: 019 ° 21 ' 03 "	Recovery Date: 2000
Elevation:	879.55 ft.	Azimuth: 996.29 ft.	VDatum: 1929 HDatum: 1983*
Convergence:	-1 27 54.01	Scale Factor: 0.9999401	

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1789

SAND RUN RD. 14' SE OF INDIANA STATE LINE. MARK IS 11.3' SW OF CL OF SAND RUN RD., 5.8' NE OF A FENCE, 14' SE OF INDIANA STATE LINE POST AND 23.7' NW OF A "WINDING ROAD" SIGN.

Coordinate:	N	444,232.197 ft.	To Azimuth:	1790	Condition:	FOUND
	E	1,311,003.802 ft.	Azimuth:	135 ° 42 ' 29 "	Recovery Date:	2000
Elevation:		643.14 ft.	Azimuth:	1,360.46 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 28 20.11	Scale Factor:	0.99994126		

1790

SAND RUN RD. APPROXIMATELY 0.25 MI. SE OF INDIANA STATE LINE. MARK IS 20' NE OF THE CL OF SAND RUN RD. AND 44.6' NW OF A 2' ELM TREE.

Coordinate:	N	443,258.410 ft.	To Azimuth:	1789	Condition:	FOUND
	E	1,311,953.881 ft.	Azimuth:	315 ° 42 ' 29 "	Recovery Date:	2000
Elevation:		604.89 ft.	Azimuth:	1,360.46 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 28 12.26	Scale Factor:	0.99994141		

1791

LAWRENCEBURG RD. APPROXIMATELY 2.2 MI. S. OF BROOKS RD. MARK IS 26.5' W. OF THE CL OF LAWRENCEBURG RD., 3' E. OF A FENCE, 77' N. OF A 60" ELM (MEASURED ALONG SAID FENCE) AND 100.9' S. OF A FENCE CORNER (MEASURED ALONG SAID FENCE).

Coordinate:	N	448,380.301 ft.	To Azimuth:	1792	Condition:	FOUND
	E	1,318,221.742 ft.	Azimuth:	358 ° 01 ' 50 "	Recovery Date:	2000
Elevation:		496.7 ft.	Azimuth:	1,297.38 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 22.80	Scale Factor:	0.9999406		

1792

LAWRENCEBURG RD. APPROXIMATELY 1.9 MI. S. OF BROOKS RD. MARK IS 21.3' E. OF THE CL OF LAWRENCEBURG RD., 56.5' N. OF POLE #126H45E, AND ON THE PRODUCED S. LINE OF A 1 STORY FRAME CAMP.

Coordinate:	N	449,677.120 ft.	To Azimuth:	1791	Condition:	FOUND
	E	1,318,177.086 ft.	Azimuth:	178 ° 01 ' 50 "	Recovery Date:	2000
Elevation:		494.06 ft.	Azimuth:	1,297.38 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 23.43	Scale Factor:	0.99994041		

1793

LAWRENCEBURG RD. OPPOSITE SAND RUN RD. MARK IS 21.9' E. OF THE CL OF LAWRENCEBURG RD., 6' S. OF THE PRODUCED CL OF SAND RUN RD. AND 49' SE OF A ROAD SIGN.

Coordinate:	N	439,514.301 ft.	To Azimuth:	1794	Condition:	MISSING
	E	1,318,088.236 ft.	Azimuth:	182 ° 04 ' 29 "	Recovery Date:	2000
Elevation:		484.03 ft.	Azimuth:	428.14 ft.	VDatum:	1929 HDatum: 1983*
Convergence:		-1 27 22.06	Scale Factor:	0.99994199		

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1794

LAWRENCEBURG AND SUSPENSION BRIDGE RDS. MARK IS IN THE SE CORNER 34' E. OF THE CL OF LAWRENCEBURG RD., 41.5' S. OF THE CL OF SUSPENSION BRIDGE RD. AND 10' NE OF POLE #131H46E. SAME AS 8003

Coordinate: N 439,085.863 ft. To Azimuth: 1793 Condition: FOUND
 E 1,318,072.875 ft. Azimuth: 002 ° 04 ' 29 " Recovery Date: 2000
 Elevation: 481.92 ft. Azimuth: 428.14 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 27 22.10 Scale Factor: 0.99994206

1795

LAWRENCEBURG RD. APPROXIMATELY 0.1 MI. N. OF U.S. 50. MARK IS 25' E. OF THE CL OF LAWRENCEBURG RD., 9.0' N. OF THE CL OF A GRAVEL DRIVE, 1.5' SW OF A FENCE CORNER AND 36.5' W. OF THE PRODUCED W. LINE OF A 1 STORY FRAME HOUSE (BOX #271).

Coordinate: N 430,862.025 ft. To Azimuth: 1796 Condition: FOUND
 E 1,315,035.955 ft. Azimuth: 188 ° 32 ' 03 " Recovery Date: 2000
 Elevation: 508.43 ft. Azimuth: 623.53 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 27 44.87 Scale Factor: 0.99994353

1796

U.S. 50 AND LAWRENCEBURG RD. MARK IS IN THE NW CORNER 45' W. OF THE CL OF LAWRENCEBURG RD., 54.5' N. OF THE CL OF U.S. 50, 5' NW OF THE CURB LINE, 1.7' SE OF A 12" STEEL POLE AND 47' E. OF THE SE CORNER OF CONCRETE STEPS.

Coordinate: N 430,245.318 ft. To Azimuth: 1795 Condition: FOUND
 E 1,314,943.368 ft. Azimuth: 008 ° 32 ' 03 " Recovery Date: 2000
 Elevation: 490.99 ft. Azimuth: 623.53 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 27 45.49 Scale Factor: 0.99994364

1800

STATE ROUTE 128 APPROXIMATELY 0.95 MI. NW OF HARRISON RD. MARK IS 18.6' NE OF THE CL OF S.R. 128, 15' SW OF A FENCE CORNER AND 36.6' W. OF POLE #H72848RT.

Coordinate: N 455,311.995 ft. To Azimuth: 1801 Condition: FOUND
 E 1,342,532.183 ft. Azimuth: 331 ° 09 ' 47 " Recovery Date: 2000
 Elevation: 515.87 ft. Azimuth: 863.91 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 24 8.25 Scale Factor: 0.99993956

1801

STATE ROUTE 128 APPROXIMATELY 1.15 MI. NW OF HARRISON RD. MARK IS ON THE PRODUCED N. LINE OF A 1 STORY BRICK HOUSE (BOX #118, JAMES L. LAKE), MARK IS IN A MONUMENT BOX IN THE EAST EDGE OF S.R. 128 (BOX INSTALLED 7/97)

Coordinate: N 456,068.981 ft. To Azimuth: 1800 Condition: FOUND
 E 1,342,115.639 ft. Azimuth: 151 ° 09 ' 47 " Recovery Date: 2000
 Elevation: 517.91 ft. Azimuth: 863.91 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 24 11.76 Scale Factor: 0.99993947

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1837

STRIMPLE RD. APPROXIMATELY 1.2 MI. S. OF MT. HOPE RD. MARK IS 16' W. OF THE CL OF STRIMPLE RD., 29.6' E. OF THE SE CORNER OF A 1-1/2 STORY FRAME HOUSE AND 46' SE OF THE NE CORNER OF SAID HOUSE #8861. NO AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	460,324.398	ft.	To Azimuth:		Condition:	MISSING
	E	1,334,671.549	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		718.63	ft.	Azimuth:		VDatum:	1929 HDatum: 1983*
Convergence:		-1 25 12.62		Scale Factor:	0.99993897		

1838

STRIMPLE RD. APPROXIMATELY 1.1 MI. S. OF MT. HOPE RD. MARK IS ON THE PRODUCED N. LINE OF A 1-1/2 STORY SHINGLE HOUSE, 13' W. OF THE CL OF STRIMPLE RD., 22' SE OF A POLE AND 44.6' NW OF A 3' OAK TREE. NO NORTHING, EASTING, AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N		ft.	To Azimuth:		Condition:	MISSING
	E		ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		685.22	ft.	Azimuth:		VDatum:	1929 HDatum: 1927
Convergence:				Scale Factor:			

1857

LAWRENCEBURG RD. APPROXIMATELY 1.0 MI. N. OF U.S. 50. MARK IS 15' E. OF THE CL OF LAWRENCEBURG RD. 15.4' N. OF POLE #H42287, 42.9' SE OF POLE #131H27 AND 80' N. OF THE PRODUCED CL OF AN 8' GRAVEL DRIVE. B.M. IS 1.8' UNDER GROUND.

Coordinate:	N	434,512.160	ft.	To Azimuth:	1858	Condition:	FOUND
	E	1,316,644.694	ft.	Azimuth:	036 ° 47 ' 16 "	Recovery Date:	2000
Elevation:		476.34	ft.	Azimuth:	667.06	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 32.67		Scale Factor:	0.99994286		

1858

LAWRENCEBURG RD. APPROXIMATELY 1.1 MI. N. OF U.S. 50. MARK IS 15.4' E. OF THE CL OF LAWRENCEBURG RD., 25.5' S. OF POLE #131H222E, 39' SE OF POLE #H42282 AND 55' N. OF THE NE CORNER OF A CONCRETE BRIDGE.

Coordinate:	N	435,046.430	ft.	To Azimuth:	1857	Condition:	MISSING
	E	1,317,044.155	ft.	Azimuth:	216 ° 47 ' 16 "	Recovery Date:	2000
Elevation:		478.55	ft.	Azimuth:	667.06	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 29.56		Scale Factor:	0.99994276		

1861

LAWRENCEBURG RD. APPROXIMATELY 0.1 MI. N. OF BOND RD. MARK IS 17.9' W. OF THE CL OF LAWRENCEBURG RD., 15.38' N. OF THE N. LINE OF THE E. WALL OF A STONE INLET AND 44.6' SW. OF POLE #126H12E.

Coordinate:	N	444,086.841	ft.	To Azimuth:	1862	Condition:	FOUND
	E	1,318,032.002	ft.	Azimuth:	180 ° 35 ' 39 "	Recovery Date:	2000
Elevation:		501.6	ft.	Azimuth:	662.7	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 23.45		Scale Factor:	0.99994125		

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1863

BOND RD. APPROXIMATELY 0.9 MI. NW OF LAWRENCEBURG RD. MARK IS 23' SW OF THE CL OF BOND RD., 5.7' NE OF POLE #126H173E, 17' SE OF THE PRODUCED SE LINE OF A 1 STORY FRAME HOUSE AND 124' S. OF THE CL OF THE S. STONE HEADWALL OF A 12" PIPE CULVERT.

Coordinate: N 445,919.228 ft. To Azimuth: 1864 Condition: FOUND
 E 1,315,433.363 ft. Azimuth: 331 ° 45 ' 03 " Recovery Date: 2000
 Elevation: 726.2 ft. Azimuth: 1,759.27 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 27 44.77 Scale Factor: 0.99994098

1872

DRY FORK RD. APPROXIMATELY 0.1 MI. E. OF KILBY RD. MARK IS 15' S. OF THE CL OF DRY FORK RD., 40.5' N OF THE NE CORNER OF A BARN, 80.5' W OF THE PRODUCED WEST LINE OF A ONE STORY BRICK RANCH.

Coordinate: N 444,300.893 ft. To Azimuth: 1871 Condition: FOUND
 E 1,322,935.830 ft. Azimuth: 276 ° 03 ' 59 " Recovery Date: 2000
 Elevation: 509.84 ft. Azimuth: 574.48 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 26 43.98 Scale Factor: 0.99994119

1873

DRY FORK RD. APPROXIMATELY 0.8 MI. N. OF KILBY RD. MARK IS 14.3' E. OF THE CL OF DRY FORK RD., 24.6' N. OF A FENCE CORNER, 122' S. OF POLE #900125 AND 126' N. OF THE PRODUCED N. LINE OF A CONCRETE BLOCK GARAGE AT A 1 STORY FRAME HOUSE (BOX #236, A.G. WURGER).

Coordinate: N 447,113.322 ft. To Azimuth: 1874 Condition: FOUND
 E 1,324,700.559 ft. Azimuth: 009 ° 33 ' 52 " Recovery Date: 2000
 Elevation: 529.79 ft. Azimuth: 729.97 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 26 30.33 Scale Factor: 0.99994076

1874

DRY FORK RD. APPROXIMATELY 0.9 MI. N. OF KILBY RD. MARK IS 12.6' E. OF THE CL OF DRY FORK RD., 126' N. OF POLE #900-44, 161.1' S. OF POLE #927-114, 163.5' SE OF A GUY POLE AND 235.8' S. OF THE PRODUCED, MOST WESTERLY, S. LINE OF A 2 STORY BRICK HOUSE (A. NAEGELE).

Coordinate: N 447,833.129 ft. To Azimuth: 1873 Condition: FOUND
 E 1,324,821.978 ft. Azimuth: 189 ° 33 ' 52 " Recovery Date: 2000
 Elevation: 518.41 ft. Azimuth: 729.97 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 26 29.50 Scale Factor: 0.99994066

1878

STATE ROUTE 128 APPROXIMATELY 0.2 MI. W. OF MORGAN RD. MARK IS 25.7' NW OF THE CL OF S.R. 128, 114.5' SW OF THE PRODUCED SW LINE OF A 1 STORY FRAME HOUSE (BOX #51) AND 214' NE OF THE PRODUCED NE LINE OF A 1 STORY FRAME (HOUSE). NO AZIMUTH POINT OR BEARING RECORDED.

Coordinate: N 444,380.414 ft. To Azimuth: Condition: MISSING
 E 1,328,537.983 ft. Azimuth: 000 ° 00 ' 00 " Recovery Date: 2000
 Elevation: 497.9 ft. Azimuth: ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 25 58.86 Scale Factor: 0.99994116

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1879

STATE ROUTE 128 APPROXIMATELY 1.0 MI. E. OF MORGAN RD. MARK IS 21.7' S. OF THE CL OF S.R. 128, 11' N. OF POLE #123 H87, 50' SE OF POLE #H43916, 51.1' E. OF MAILBOX #77 AND 91' E. OF THE PRODUCED E. LINE OF A 1-1/2 STORY FRAME HOUSE (P. ROESSLER). NO NORTHING, EASTING, AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	ft.	To Azimuth:	Condition:	MISSING
	E	ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:	514.76	ft.	Azimuth:	ft.	VDatum: 1929 HDatum: 1927
Convergence:	Scale Factor:				

1880

STATE ROUTE 128 APPROXIMATELY 1.2 MI. E. OF MORGAN RD. MARK IS 25.9' N. OF THE CL OF S.R. 128, 3' N. OF CL OF DRAINAGE DITCH, 8.7' SE OF POLE #H43922 AND 15.7' E. OF THE PRODUCED E. LINE OF A 1-1/2 STORY FRAME HOUSE (MARTHA ROESSLER). NO NORTHING, EASTING, AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	ft.	To Azimuth:	Condition:	MISSING
	E	ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:	519.06	ft.	Azimuth:	ft.	VDatum: 1929 HDatum: 1927
Convergence:	Scale Factor:				

1881

STATE ROUTE 128 APPROXIMATELY .95 MI. SW OF U.S. 52. MARK IS 24.5' SE OF THE CL OF S.R. 128, 17' E. OF THE END OF A GUARDRAIL, 8' SW OF THE PRODUCED SW LINE OF A 1 STORY CONCRETE BLOCK BUILDING, 13' SW OF THE SW EDGE OF A CONCRETE DRIVE AND 25' NE OF POLE #123H 149E. NO NORTHING, EASTING, AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	ft.	To Azimuth:	Condition:	MISSING
	E	ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:	531.67	ft.	Azimuth:	ft.	VDatum: 1929 HDatum: 1927
Convergence:	Scale Factor:				

1882

STATE ROUTE 128 APPROXIMATELY 0.85 MI. SW OF U.S. 52. MARK IS 32.5' SE OF THE CL OF S.R. 128, 17' N. OF POLE #123H 220E, 21' W. OF A FENCE CORNER, 48.3' NE OF THE PRODUCED NE LINE OF A 2 STORY FRAME HOUSE AND 75.2' NE OF MAILBOX #101. NO AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	446,248.409	ft.	To Azimuth:	Condition:
	E	1,342,266.727	ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:
Elevation:	519.12	ft.	Azimuth:	ft.	VDatum: 1929 HDatum: 1983*
Convergence:	-1 24	8.60	Scale Factor: 0.99994083		

1883

MORGAN RD. APPROXIMATELY 0.9 MI. N. OF STATE ROUTE 128. MARK IS ON THE PRODUCED N. LINE OF A 2 CAR CONCRETE BLOCK GARAGE, 16' W. OF THE CENTERLINE OF MORGAN RD., 121' N. OF POLE #H64861RE, 127.5' S. OF POLE #H64862RE, AND 113.2' NW OF A FENCE CORNER. NO NORTHING, EASTING, AZIMUTH POINT OR BEARING RECORDED.

Coordinate:	N	ft.	To Azimuth:	Condition:	MISSING
	E	ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:	737.76	ft.	Azimuth:	ft.	VDatum: 1929 HDatum: 1927
Convergence:	Scale Factor:				

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

1884

MORGAN RD. APPROXIMATELY 0.65 MI. S. OF U.S. 52. MARK IS 20.5' W. OF THE CL OF MORGAN RD., 25' S. OF POLE #124H 336E - H83207RE AND 2' N. OF THE PRODUCED N. LINE OF A 1 STORY CONCRETE BLOCK HOUSE.

Coordinate:	N	453,583.654 ft.	To Azimuth:	L-141	Condition:	MISSING
	E	1,328,871.159 ft.	Azimuth:	002 ° 23 ' 05 "	Recovery Date:	2000
Elevation:		735.98 ft.	Azimuth:	1,051.15 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 58.02	Scale Factor:	0.99993983		

8002

STATION 8002 IS LOCATED IN NORTHWEST CORNER OF INTERSECTION OF BROOKS ROAD AND BOND ROAD. 300+- EAST OF INDIANA AND OHIO STATE LINE, 3.0' SOUTHWEST FROM A STOP SIGN, 22.0' WEST FROM THE CENTERLINE OF BROOKS ROAD AND 23.6' NORTH OF BOND ROAD. MONUMENT IS CONCRETE WITH ALUM. CAP SET FLUSH WITH GROUND. STAMPED 8002 1990.

Coordinate:	N	449,221.732 ft.	To Azimuth:	8002A	Condition:	FOUND
	E	1,311,508.016 ft.	Azimuth:	014 ° 58 ' 13 "	Recovery Date:	2000
Elevation:		900.91 ft.	Azimuth:	734.99 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 28 17.08	Scale Factor:	0.9999405		

8002 AZ

STATION 8002 AZ IS LOCATED 13.5' EAST OF THE CENTERLINE OF BROOKS RD., 129.7' NORTH OF THE NORTH GARAGE LINE PRODUCED OF A ONE STORY BRICK HOUSE RESIDENCE NO. 6295. THE MONUMENT IS SET FLUSH WITH THE GROUND AND HAS AN ALUMINUM TABLET STAMPED 8002 AZ.

Coordinate:	N	449,931.781 ft.	To Azimuth:	8002	Condition:	FOUND
	E	1,311,697.878 ft.	Azimuth:	194 ° 58 ' 13 "	Recovery Date:	2000
Elevation:		906.54 ft.	Azimuth:	734.99 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 28 15.70	Scale Factor:	0.9999404		

8003

STATION 8003 IS A CITY OF CINCINNATI TRAVERSE STATION BENCHMARK STAMPED 1794 LOCATED SOUTHWEST CORNER OF INTERSECTION OF LAWRENCEBURG-HARRISON ROAD AND SUSPENSION BRIDGE RD. 200' +- SOUTH OF I-275, 11.7' NORTHEAST FROM A POWER POLE 33.3' SOUTHEAST FROM THE CENTERLINE OF LAWRENCEBURG-HARRISON ROAD AND 45.0' SOUTH FROM CENTERLINE OF SUSPENSION BRIDGE RD. MONUMENT IS 4" BELOW GROUND STAMPED 1794. MONUMENT HAS A STEEL POST WITH WITNESS SIGN 0.6" SOUTH.

Coordinate:	N	439,085.863 ft.	To Azimuth:	8003A	Condition:	FOUND
	E	1,318,072.875 ft.	Azimuth:	188 ° 07 ' 21 "	Recovery Date:	2000
Elevation:		481.92 ft.	Azimuth:	734.99 ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 22.10	Scale Factor:	0.99994206		

8003 AZ

STATION 8003 AZ IS LOCATED 15.2' SOUTHEAST OF THE CENTERLINE OF LAWRENCEBURG-HARRISON RD; 117.9' SOUTH OF THE SOUTH LINE PRODUCED OF A TWO STORY BRICK HOUSE RESIDENCE NO. 4491. THE MONUMENT IS SET FLUSH WITH THE GROUND AND HAS AN ALUMINUM TABLET STAMPED 8003 AZ. NO NORTHING, EASTING OR ELEVATION RECORDED.

Coordinate:	N	ft.	To Azimuth:		Condition:	FOUND
	E	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:			Scale Factor:			

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8004

STATION 8004 IS LOCATED 16.9' NORTHEAST OF THE CENTERLINE OF STEPHENS RD. AT THE SOUTHEAST SIDE OF I-275; 127.3' SOUTHEAST OF THE SOUTHEAST END OF A CONCRETE WALL AT THE NORTHEAST SIDE OF A BRIDGE OVER INTERSTATE HIGHWAY I-275. THE MONUMENT IS SET FLUSH WITH THE GROUND AND IS STAMPED 8004.

Coordinate: N	431,325.511 ft.	To Azimuth: 8004A	Condition: FOUND
E	1,313,411.742 ft.	Azimuth: 086 ° 28 ' 18 "	Recovery Date: 2000
Elevation:	529.96 ft.	Azimuth: 1,142.48 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 27 58.05	Scale Factor: 0.99994345	

8004 AZ

STATION 8004 AZ LOCATED 0.1 MILE WEST ALONG STEPHENS ROAD FROM THE INTERSECTION OF LAWRENCEBURG-HARRISON ROAD AND STEPHENS ROAD IN ELIZABETHTOWN, HAMILTON CO., OHIO, 5.6' SOUTH FROM A POWER POLE, 5.4' NORTH FROM NORTH EDGE OF STEPHENS ROAD AND 9.4' SOUTH FROM THE SOUTHWEST CORNER OF A CEMETERY MONUMENT. IS CONCRETE WITH ALUM. CAP SET FLUSH WITH GROUND STAMPED 8004 AZ 1990. NO NORTHING, EASTING OR ELEVATION RECORDED.

Coordinate: N	431,395.820 ft.	To Azimuth: 8004	Condition: FOUND
E	1,314,552.058 ft.	Azimuth: 266 ° 28 ' 18 "	Recovery Date: 2000
Elevation:	509.92 ft.	Azimuth: 1,142.48 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 27 48.88	Scale Factor: 0.99994343	

8007

STATION 8007 AZ IS LOCATED 0.5 MILES NORTHEAST ALONG SR 128 FROM INTERSECTION OF MORGAN ROAD AND SR 128. SET ON NORTH SIDE OF SR 128 IN WEST END OF CONCRETE HEADWALL 9.6' NORTH FROM EDGE OF SR 128, 7.7' SOUTHWEST FROM A POWER POLE AND 10.8' NORTHEAST FROM A FIRE HYDRANT. MONUMENT IS AN ALUM. CAP SET FLUSH IN CONCRETE HEADWALL STAMPED 8007 AZ.

Coordinate: N	446,955.742 ft.	To Azimuth: 8007A	Condition: FOUND
E	1,331,929.793 ft.	Azimuth: 079 ° 05 ' 19 "	Recovery Date: 2000
Elevation:	522.08 ft.	Azimuth: 1,518.57 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 32.04	Scale Factor: 0.99994076	

8007 AZ

STATION 8007 IS LOCATED 0.75 MILES NORTHEAST ALONG SR 128 FROM INTERSECTION MORGAN ROAD AND SR 128. 33.5' SOUTHWEST FROM A POWER POLE 8.2' NORTH FROM NORTH EDGE SR 128 AND 47.2' NORTHEAST FROM A POWER POLE MONUMENT IS SET FLUSH WITH GROUND AND STAMPED 8007 1990.

Coordinate: N	447,243.195 ft.	To Azimuth: 8007	Condition: FOUND
E	1,333,420.916 ft.	Azimuth: 259 ° 05 ' 19 "	Recovery Date: 2000
Elevation:	507.44 ft.	Azimuth: 1,518.57 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 20.08	Scale Factor: 0.99994071	

8008

STATION 8008 IS LOCATED 0.85 MILES NORTHWEST ALONG WEST ROAD FROM THE INTERSECTION OF HARRISON ROAD AND WEST ROAD 5.0' SOUTHWEST FROM SOUTHWEST EDGE OF WEST ROAD 4.7' NORTHEAST FROM A FENCE AND 79.8' NORTHWEST FROM A POWER POLE MONUMENT 1/2" ABOVE GROUND STAMPED 8008 1990.

Coordinate: N	458,511.492 ft.	To Azimuth: 8008A	Condition: FOUND
E	1,330,921.660 ft.	Azimuth: 343 ° 49 ' 26 "	Recovery Date: 2000
Elevation:	789.29 ft.	Azimuth: 544.91 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 42.49	Scale Factor: 0.9999392	

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8008 AZ

STATION 8008 AZ IS LOCATED 0.95 MILES NORTHWEST ALONG WEST ROAD FROM THE INTERSECTION OF HARRISON ROAD AND WEST ROAD, 3.1' SOUTHEAST FROM SOUTHEAST EDGE OF WEST ROAD 6.0' SOUTHWEST FROM A POWER POLE AND 6.6' NORTHWEST FROM A FENCE POINT. MONUMENT IS SET FLUSH WITH GROUND STAMPED 8008 AZ 1990. NO NORTHING, EASTING OR ELEVATION RECORDED.

Coordinate:	N	459,034.830	ft.	To Azimuth:	8008	Condition:	FOUND
	E	1,330,769.852	ft.	Azimuth:	163 ° 49 ' 26 "	Recovery Date:	2000
Elevation:		782.41	ft.	Azimuth:	544.91	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 43.82		Scale Factor:	0.99993913		

8027

STATION 1767 = 8027 LOCATED AT INTERSECTION OF US 50 AND KILBY ROAD ON PROJECTED CENTERLINE OF KILBY ROAD ON SOUTH SIDE OF US 50. 41.5 NORTHEAST OF A POWER POLE 0.7' NORTH OF A ORANGE CARSONITE POST AND 9.4' SOUTH FROM EDGE OF US 50 MONUMENT IS A CITY OF CINCINNATI TRAVERSE STATION. BENCHMARK STAMP 1767 0.4" BELOW GROUND.

Coordinate:	N	434,084.693	ft.	To Azimuth:	8027A	Condition:	FOUND
	E	1,323,009.263	ft.	Azimuth:	078 ° 49 ' 39 "	Recovery Date:	2000
Elevation:		495.93	ft.	Azimuth:	2,034.91	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 41.31		Scale Factor:	0.9999429		

8027 AZ

STATION 8027 AZ IS LOCATED AT INTERSECTION OF US 50 AND HOOVEN ROAD ON SOUTH SIDE OF US 50 ON PROJECTED CENTERLINE OF HOOVEN ROAD, 10.1' SOUTH FROM EDGE OF ROAD, 13.5' SOUTHEAST FROM CORNER OF TURN OUT 37.5' NORTHWEST FROM A POWER POLE. MONUMENT IS SET FLUSH WITH GROUND AND STAMPED 8027 AZ 1990. NO NORTHING, EASTING OR ELEVATION RECORDED.

Coordinate:	N	434,478.983	ft.	To Azimuth:	8027	Condition:	MISSING
	E	1,325,005.612	ft.	Azimuth:	258 ° 49 ' 39 "	Recovery Date:	2005
Elevation:		509.65	ft.	Azimuth:	2,034.91	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 25.32		Scale Factor:	0.99994282		

8283

STATION 8283 IS LOCATED ON THE NORTHEAST SIDE OF HARRISON AVENUE OPPOSITE HOUSE #8775, 0.5 MILE SOUTHEAST OF STRIMPLE ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 23.2 FEET NORTHEAST OF THE CENTER OF HARRISON AVENUE, 32.8 FEET SOUTHEAST OF POLE #124H78E, AND 21.6 FEET NORTHWEST OF THE PRODUCED SOUTHEAST LINE OF A ONE STORY BRICK HOUSE #8775. MARK IS PAIRED WITH STATION 1777.

Coordinate:	N	454,022.929	ft.	To Azimuth:		Condition:	FOUND
	E	1,337,584.443	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		785.04	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 24 47.88		Scale Factor:	0.99993975		

8284

STATION 8284 IS LOCATED ON THE WEST SIDE OF MORGAN ROAD AT HOUSE# 6489, 0.9 MILE NORTH OF STATE ROUTE 128. MARK IS A BRASS DISC SET IN CONCRETE, 17.5 FEET WEST OF THE CENTER OF MORGAN ROAD, 79.5 FEET NORTH OF POLE#123H248E, 10.6 FEET NORTH OF THE PRODUCED NORTH LINE OF A ONE STORY BRICK HOUSE #6489, AND 122.8 FEET SOUTH OF POLE #123H179E. MARK IS PAIRED WITH STATION 8285.

Coordinate:	N	450,066.173	ft.	To Azimuth:		Condition:	FOUND
	E	1,329,466.720	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		734.86	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 52.52		Scale Factor:	0.99994032		

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8285

STATION 8285 IS LOCATED ON THE EAST SIDE OF MORGAN ROAD OPPOSITE HOUSE #6453, 0.85 MILE NORTH OF STATE ROUTE 128. MARK IS A BRASS DISC SET IN CONCRETE, 20 FEET EAST OF THE CENTER OF MORGAN ROAD, 73 FEET NORTHWEST OF A POLE, 73 FEET SOUTHWEST OF POLE #123H283E, 102.5 FEET SOUTHWEST OF POLE #H140375RE, AND 36.5 FEET SOUTH OF THE PRODUCED SOUTH LINE OF A ONE STORY BRICK HOUSE #6453. MARK IS PAIRED WITH STATION WITH STATION 8284.

Coordinate:	N	449,710.256 ft.	To Azimuth:	Condition:	FOUND
	E	1,329,488.573 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		731.46 ft.	Azimuth:	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 52.27	Scale Factor:	0.99994037	

8286

STATION 8286 IS LOCATED ON THE EAST SIDE OF STRIMPLE ROAD OPPOSITE HOUSE #8465, 0.4 MILE NORTH OF HARRISON AVENUE. MARK IS A BRASS DISC SET IN CONCRETE, 12.7 FEET EAST OF THE CENTER OF STRIMPLE ROAD, 33.8 SOUTHEAST OF POLE #124H358E, 82.4 FEET NORTH OF POLE #H88797, AND 28.9 FEET NORTH OF THE PRODUCED NORTH LINE OF HOUSE #8465. MARK IS PAIRED WITH STATION W141.

Coordinate:	N	456,942.993 ft.	To Azimuth:	Condition:	FOUND
	E	1,334,939.454 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		765.76 ft.	Azimuth:	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 09.78	Scale Factor:	0.99993938	

8287

STATION 8287 IS LOCATED ON THE SOUTHSIDE OF STRIMPLE ROAD, 0.75 MILE WEST OF MT. HOPE ROAD. MARK IS A BRASS SET IN CONCRETE, 11.5 FEET SOUTH OF THE CENTER OF STRIMPLE ROAD, 191 FEET SOUTHEAST OF POLE #124H135E, 193 FEET WEST OF A POLE, AND 65.5 FEET WEST OF THE CENTER OF A ROCK HEADWALL. MARK IS PAIRED WITH STATION 8288.

Coordinate:	N	462,174.638 ft.	To Azimuth:	Condition:	FOUND
	E	1,335,805.165 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		649.71 ft.	Azimuth:	VDatum:	1929 HDatum: 1983
Convergence:		-1 25 03.85	Scale Factor:	0.99993875	

8288

STATION 8288 IS LOCATED ON THE SOUTH SIDE OF STRIMPLE ROAD, 0.5 MILE WEST OF MT. HOPE ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 14 FEET SOUTH OF THE CENTER OF STRIMPLE ROAD, 26.7 FEET WEST OF POLE #124H258E, AND 240.3 FEET WEST OF MILE MARK 1.8. MARK IS PAIRED WITH STATION 8287.

Coordinate:	N	462,128.627 ft.	To Azimuth:	Condition:	FOUND
	E	1,337,097.790 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		573.32 ft.	Azimuth:	VDatum:	1929 HDatum: 1983
Convergence:		-1 24 53.42	Scale Factor:	0.99993875	

8289

STATION 8289 IS LOCATED AT THE NORTHEAST CORNER OF KILBY ROAD AND DRY FORK ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 56.2 FEET EAST OF THE CENTER OF KILBY ROAD, 22 FEET NORTH OF THE CENTER OF DRY FORK ROAD, 25.6 FEET WEST OF POLE #126H83E, AND 60.5 FEET SOUTH EAST OF POLE #126H588E. MARK IS PAIRED WITH STATION 1872.

Coordinate:	N	444,365.643 ft.	To Azimuth:	Condition:	FOUND
	E	1,322,440.901 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		499.74 ft.	Azimuth:	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 47.98	Scale Factor:	0.99994119	

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8290

STATION 8290 IS LOCATED ON THE SOUTHEAST SIDE OF CILLEY ROAD, 0.1 MILE NORTH AND EAST OF KILBY ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 21 FEET SOUTHEAST OF THE CENTER OF CILLEY ROAD, 123 FEET SOUTHWEST OF POLE #131H555E, AND 46.5 FEET NORTHEAST OF POLE #H146096RE. MARK IS PAIRED WITH STATION 8291.

Coordinate:	N	439,250.159	ft.	To Azimuth:		Condition:	FOUND
	E	1,323,587.167	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		494.24	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 37.71		Scale Factor:	0.99994201		

8291

STATION 8291 IS LOCATED ON THE WEST SIDE OF CILLEY ROAD, 0.35 MILE NORTH AND EAST OF KILBY ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 15 FEET WEST OF THE CENTER OF CILLEY ROAD, AND 25.7 FEET NORTH OF THE SOUTH END OF A METAL GUARD RAIL. MARK IS PAIRED WITH STATION 8290.

Coordinate:	N	440,964.157	ft.	To Azimuth:		Condition:	FOUND
	E	1,324,410.287	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		524.89	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 31.43		Scale Factor:	0.99994172		

8292

STATION 8292 IS LOCATED ON THE NORTHEAST SIDE OF BOND ROAD, 1.2 MILE NORTHWEST OF LAWRENCEBURG ROAD, AT HOUSE #11086. MARK IS LOCATED 20 FEET NORTHEAST OF THE CENTER OF BOND ROAD, 64.4 FEET WEST OF POLE #126H162E, 53 FEET SOUTHEAST OF POLE #126H163E, AND 33.4 FEET NORTHWEST OF THE PRODUCED NORTHWEST LINE OF A ONE STORY BRICK HOUSE #11086. MARK IS PAIRED WITH STATION 1863.

Coordinate:	N	447,472.357	ft.	To Azimuth:		Condition:	FOUND
	E	1,314,594.973	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		799.92	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 51.84		Scale Factor:	0.99994075		

8293

STATION 8293 IS LOCATED ON THE SOUTHSIDE OF SAND RUN ROAD, 0.8 MILE WEST OF LAWRENCEBURG ROAD, OPPOSITE HOUSE #10942. MARK IS A BRASS DISC SET IN CONCRETE, 14.5 FEET SOUTH OF THE CENTER OF SAND RUN ROAD, 52 FEET SOUTHWEST OF POLE #131H254E, 37.5 FEET WEST OF THE PRODUCED WEST LINE OF A ONE STORY FRAME HOUSE #10942, AND 19.4 FEET WEST OF MILE MARK 1.0. MARK IS PAIRED WITH STATION 8294.

Coordinate:	N	440,565.269	ft.	To Azimuth:		Condition:	FOUND
	E	1,314,478.252	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		516.12	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 51.36		Scale Factor:	0.99994183		

8294

STATION 8294 IS LOCATED ON THE NORTH SIDE OF SAND RUN ROAD, 0.9 MILE WEST OF LAWRENCEBURG ROAD, OPPOSITE HOUSE #11019. MARK IS A BRASS DISC SET IN CONCRETE, 14 FEET NORTH OF THE CENTER OF SAND RUN ROAD, 29.4 FEET WEST OF POLE #131H250E, AND 10.5 FEET EAST OF THE PRODUCED EAST LINE OF A ONE STORY FRAME HOUSE #11019. MARK IS PAIRED WITH STATION 8293.

Coordinate:	N	440,778.757	ft.	To Azimuth:		Condition:	FOUND
	E	1,313,810.611	ft.	Azimuth:	000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		518.83	ft.	Azimuth:	ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 27 56.78		Scale Factor:	0.9999418		

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8295

STATION 8295 IS LOCATED ON THE EAST SIDE OF STATE ROUTE 128, 0.35 MILE SOUTH OF CILLEY ROAD, OPPOSITE HOUSE #4845. MARK IS A BRASS DISC SET IN CONCRETE, 16 FEET EAST OF THE CENTER OF STATE ROUTE 128, 75.8 FEET SOUTH OF POLE #133H84E, 53.8 FEET EAST OF POLE #133H266E, AND ON THE PRODUCED SOUTH LINE OF A ONE STORY BRICK BUILDING #4845. MARK IS PAIRED WOTH STATION 8296.

Coordinate:	N	439,861.571 ft.	To Azimuth:	Condition:	FOUND
	E	1,328,239.559 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		502.05 ft.	Azimuth: ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 00.35	Scale Factor:	0.99994189	

8296

STATION 8296 IS LOCATED ON THE WEST SIDE OF STATE ROUTE 128, 0.1 MILE SOUTH OF CILLEY ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 18.2 FEET WEST OF THE CENTER OF STATE ROUTE 128, 59 FEET NORTHWEST OF POLE #133H93E, AND 55.5 FEET NORTHEAST OF POLE #H43840. MARK IS PAIRED WITH STATION 8295.

Coordinate:	N	441,246.883 ft.	To Azimuth:	Condition:	FOUND
	E	1,328,146.444 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		502.55 ft.	Azimuth: ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 26 01.38	Scale Factor:	0.99994166	

8297

STATION 8297 IS LOCATED ON THE NORTH SIDE OF STATE ROUTE 128, 0.15 MILE EAST OF SINGLE TREE DRIVE, NEAR HOUSE #5885 S.R. 128. 216' EAST OF THE EAST LINE OF SAID HOUSE, MARK IS A BRASS DISC SET IN CONCRETE, 18.8 FEET NORTH OF THE CENTER OF STATE ROUTE 128, 14 FEET SOUTHWEST OF A WIRE FENCE CORNER, AND 53 FEET NORTH OF POLE #123H113E. MARK IS PAIRED WITH STATION 8298.

Coordinate:	N	446,100.014 ft.	To Azimuth:	Condition:	FOUND
	E	1,337,477.358 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		536.77 ft.	Azimuth: ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 24 47.17	Scale Factor:	0.99994087	

8298

STATION 8298 IS LOCATED ON THE SOUTH SIDE OF STATE ROUTE 128, 0.3 MILE EAST OF SINGLE TREE DRIVE. MARK IS A BRASS DISC SET IN CONCRETE, 18 FEET SOUTH OF THE CENTER OF STATE ROUTE 128, 64.8 FEET WEST OF POLE #123H120E, 27.7 FEET WEST OF MILE MARK 4, AND 72.3 FEET EAST OF POLE #123H119C. MARK IS PAIRED WITH STATION 8297.

Coordinate:	N	445,757.555 ft.	To Azimuth:	Condition:	FOUND
	E	1,338,180.404 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		534.5 ft.	Azimuth: ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 24 41.43	Scale Factor:	0.99994092	

8299

STATION 8299 IS LOCATED ON THE EAST SIDE OF STATE ROUTE 128, 35 +- FEET SOUTH OF THE ENTRANCE RAMP TO WEST BOUND INTERSTATE 74. MARK IS A BRASS DISC SET IN CONCRETE, 27.6 FEET EAST OF THE CENTER OF STATE ROUTE 128, ON THE PRODUCED NORTH LINE OF A ONE STORY BRICK HOUSE, 24 FEET SOUTH OF THE WEST END OF A GUARD RAIL, 3 FEET WEST OF POLE #145H14E, AND 52.9 FEET WEST OF THE NORTHWEST CORNER OF AN ASPHALT PARKING LOT. MARK IS PAIRED WITH STATION 8300.

Coordinate:	N	447,668.188 ft.	To Azimuth:	Condition:	FOUND
	E	1,343,230.629 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date:	2000
Elevation:		523.59 ft.	Azimuth: ft.	VDatum:	1929 HDatum: 1983
Convergence:		-1 24 01.11	Scale Factor:	0.99994061	

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

8300

STATION 8300 IS LOCATED ON THE WEST SIDE OF STATE ROUTE 128, 300+- FEET SOUTH OF MILL STREET, OPPOSITE THE MIAMITOWN ELEMENTARY SCHOOL. MARK IS A BRASS DISC SET IN CONCRETE, 22 FEET WEST OF THE CENTER OF STATE ROUTE 128, 64 FEET NORTHWEST OF POLE #H146687RE, AND 25.5 FEET NORTHEAST OF POLE #H44011. MARK IS PAIRED WITH STATION 8299.

Coordinate: N 449,174.484 ft. To Azimuth: Condition: MISSING
 E 1,343,819.083 ft. Azimuth: 000 ° 00 ' 00 " Recovery Date: 2005
 Elevation: 528.75 ft. Azimuth: ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 23 56.67 Scale Factor: 0.99994039

8301

STATION 8301 IS LOCATED ON THE NORTHWEST SIDE OF STATE ROUTE 128. JUST EAST OF MORGAN ROAD, AT HOUSE #5511 S.R. 128. MARK IS A BRASS DISC SET IN CONCRETE, 20.2 FEET NORTHWEST OF THE CENTER OF STATE ROUTE 128, 21 FEET SOUTHEAST OF AN INLET, 13.2 FEET NORTHEAST OF A FIRE HYDRANT, AND 49.3 FEET NORTHEAST OF POLE #123H455C. MARK IS PAIRED WITH STATION 8302.

Coordinate: N 445,436.021 ft. To Azimuth: Condition: FOUND
 E 1,329,615.158 ft. Azimuth: 000 ° 00 ' 00 " Recovery Date: 2000
 Elevation: 495.35 ft. Azimuth: ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 25 50.39 Scale Factor: 0.999941

8302

STATION 8302 IS LCOATED ON THE NORTHWEST SIDE OF STATE ROUTE 128, 0.1 MILE SOUTHWEST OF MORGAN ROAD. MARK IS A BRASS DISC SET IN CONCRETE, 24.5 FEET NORTHWEST OF THE CENTER OF STATE ROUTE 128, 24 FEET SOUTHWEST OF THE CENTER OF A GRAVEL DRIVE TO HOUSE #5445, AND 5.5 FEET SOUTH OF POLE # 123H373C. MARK IS PAIRED WITH STATION 8301.

Coordinate: N 445,116.523 ft. To Azimuth: Condition: MISSING
 E 1,329,204.049 ft. Azimuth: 000 ° 00 ' 00 " Recovery Date: 2000
 Elevation: 497.73 ft. Azimuth: ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 25 53.64 Scale Factor: 0.99994105

COLGATE AZIMUTH

WEST RD. APPROXIMATELY 0.75 MI. SE OF BOWLES DRIVE. MARK IS 14.8' NE OF THE CL OF WEST RD. AND 56.3' SE OF POLE #124H41E.

Coordinate: N 456,378.979 ft. To Azimuth: COLGATE TRI Condition: MISSING
 E 1,332,097.408 ft. Azimuth: 339 ° 57 ' 43 " Recovery Date: 2000
 Elevation: 824.64 ft. Azimuth: 3,312.17 ft. VDatum: 1929 HDatum: 1983*
 Convergence: -1 25 32.58 Scale Factor: 0.99993946

COLGATE TRIANGULATION STATION

WEST RD. APPROXIMATELY 270' S. OF BOWLES DRIVE. MARK IS 26.4' E. OF THE CL OF WEST RD. 11.3' SE OF A FENCE CORNER, 14' SE OF POLE #14H250E AND BELOW THE GROUND COVERED WITH BRICKS.

Coordinate: N 459,490.787 ft. To Azimuth: AZIMUTH MAR Condition: FOUND
 E 1,330,962.505 ft. Azimuth: 159 ° 57 ' 43 " Recovery Date: 2000
 Elevation: 769.96 ft. Azimuth: 3,312.17 ft. VDatum: 1929 HDatum: 1983
 Convergence: -1 25 42.36 Scale Factor: 0.99993908

WHITEWATER

U.S. Coast and Geodetic Survey Triangulation Stations & Bench Marks

L-141

MORGAN RD. APPROXIMATELY 0.5 MI. SW OF HARRISON RD. MARK IS AT A RIGHT ANGLE TURN IN THE ROAD WITH TANGENTS TO THE S. AND E., 15' W. OF THE CL OF THE S. TANGENT AND 123' S. OF THE PRODUCED CL OF THE E. TANGENT.

Coordinate: N	454,633.953 ft.	To Azimuth: 1884	Condition: FOUND
E	1,328,914.737 ft.	Azimuth: 182 ° 23 ' 05 "	Recovery Date: 2000
Elevation:	719.1 ft.	Azimuth: 1,051.15 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 57.88	Scale Factor: 0.99993969	

M-141

HARRISON AND MORGAN RDS. MARK IS 60' SW OF THE CL OF HARRISON AVE., 24.5' NW OF THE CL OF MORGAN RD., 10' NE OF THE PRODUCED NE LINE OF A 2 STORY FRAME BUILDING AND 11.2' SW OF POLE #124H 373E. ELEVATION IS USC & GS 1947.

Coordinate: N	455,605.553 ft.	To Azimuth: 1779	Condition: FOUND
E	1,331,104.872 ft.	Azimuth: 320 ° 26 ' 27 "	Recovery Date: 2000
Elevation:	656.76 ft.	Azimuth: 630.01 ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 40.43	Scale Factor: 0.99993956	

V-141

U.S. 52 APPROXIMATELY 3.7 MI. SE OF THE CITY HALL IN HARRISON. MARK IS SET IN THE TOP OF THE SW WINGWALL OF A 130' B-0378 CONCRETE BRIDGE OVER DRY FORK CREEK, 15' S. OF THE CL OF U.S. 52 AND 1.5' S. OF THE CONCRETE BANISTER ELEVATION IS USC & GS 1947, NO. AZIMUTH POINT OR BEARING RECORDED

Coordinate: N	457,552.236 ft.	To Azimuth:	Condition: FOUND
E	1,327,477.576 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date: 2000
Elevation:	531.66 ft.	Azimuth: ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 26 10.06	Scale Factor: 0.99993932	

W-141

HARRISON AND STRIMPLE RDS. MARK IS 20.3' W. OF THE CL OF STRIMPLE RD., 32' N. OF THE CL OF HARRISON RD. AND 13.4' NE OF POLE #124H63E. ELEVATION IS USC & GS 1947. NO AZIMUTH POINT OR BEARING RECORDED.

Coordinate: N	454,811.268 ft.	To Azimuth:	Condition: FOUND
E	1,334,825.149 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date: 2000
Elevation:	781.73 ft.	Azimuth: ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 25 10.28	Scale Factor: 0.99993965	

X-141

HARRISON RD. APPROXIMATELY 1.05 MI. W. OF S.R. 128. MARK IS 32.8' S. OF THE CL OF HARRISON RD., 12' W. OF THE CL OF A DIRT DRIVE TO THE S., 2' E. OF THE PRODUCED E. LINE OF THE MOST EASTERLY 1 STORY FRAME COTTAGE (HILLTOP MOTEL) AND 11' N.W. OF POLE #124H91E. NO AZIMUTH POINT OR BEARING RECORDED. ELEVATION IS USC & GS 1947.

Coordinate: N	452,691.471 ft.	To Azimuth:	Condition: FOUND
E	1,339,467.732 ft.	Azimuth: 000 ° 00 ' 00 "	Recovery Date: 2000
Elevation:	790.34 ft.	Azimuth: ft.	VDatum: 1929 HDatum: 1983
Convergence:	-1 24 32.43	Scale Factor: 0.99993992	